## **CHROMATOCEL® A-150**

## ACTIVATED ALUMINA (ALUMINUM OXIDE) (CAS# 1344-28-1) CHROMATOGRAPHIC GRADE

Thermal Moisture Content (Ambient – 250 °C)	≤ 0.6 wt%
BET Surface Area*	140 – 190 m²/g
Bulk Density	820 – 1,100 g/L
pH by 10% Slurry	4 – 5
PSD (Sieve Analysis): PSD < 45 microns* PSD 45 – 63 microns* PSD 63 – 106 microns* PSD > 106 microns*	0 – 10 % 5 – 30 % 35 – 75 % 10 – 45 %
Shipping Point	Little Rock, Arkansas
Packaging	1,103 lbs (500 kg) bags 110 lbs (50 kg) drums, 55 lbs (25 kg) drums 55 lbs (25 kg) bags
	(Ambient – 250 °C) BET Surface Area* Bulk Density pH by 10 % Slurry PSD (Sieve Analysis): PSD < 45 microns* PSD 45 – 63 microns* PSD 63 – 106 microns* PSD > 106 microns*

matography, batch extractions and decolorizations. Chromatocel can also be used as a general adsorbent for impurities. Optimized particle size, surface area, pH, and purity make it a particularly useful material for the separation of small molecules, peptides, lipids, alkaloids, and a variety of other compounds.

\*Different specifications can be made according to customer requirements.

## Disclaimer

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REP-RESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMEN-DATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.

## **POROCEL INDUSTRIES**

10300 Arch St. Pike Little Rock, AR 72206

Phone +1 832 688 9696 x221 www.porocel.com

