

TEGO® Foamex 3062

Food Contact Information

EU: Regulation 10/2011

Product in compliance with EU-Regulation 10/2011 up to a use level of 0.16 % in the final plastic a/o up to 400 mg/sqm food contact area. The max. use level is a result of the risk assessment of two polymer production aids (PPAs), which are not included in the Union List.

All other components used in TEGO® Foamex 3062 are listed in EU-Regulation 10/2011 and do not have any SML or restriction/ specification.

Germany: BfR Recommendations

Product in compliance with BfR-Recommendation XIV (polymer dispersions), based on compliance with EU-Regulation 10/2011. The polymer production aids (PPAs) are seen as residues, Risk Assessment principles apply. Use restrictions apply: Maximum use level is 0.16 % (surface thickness dry 250µm) in the dispersion and max. 400 mg/sqm food contact area.

TEGO® Foamex 3062 can be used in compliance with BfR XXXVI as a defoamer according part B production aids, VI defoamers No.1.

Maximum use level is 0.16 % (surface thickness dry 250µm) in the dispersion and max. 400 mg/sqm food contact area.

Switzerland: SR 817.023.21 (latest published version)

TEGO® Foamex 3062 is in compliance with the "Ordinance of the FDHA on Materials and Articles (SR 817.023.21)" in Annex 10 in the lists for evaluated (A) substances without SMLs, if used as an additive formulated up to 0.5% in a packaging ink.

German Ink Ordinance (GIO) / Consumer Goods Regulation (BedGgstV)

TEGO® Foamex 3062 complies with the compositional requirements for printing inks not intended for direct contact with food as defined in the German BedGgstV. Migration of single components must not exceed 10 µg/kg food.

China: GB 9685–2016

TEGO® Foamex 3062 is not in compliance with GB 9685.

Japan: Japanese Positive List (PL) for Direct Food Contact

The Japanese positive list of substances used in synthetic resins for utensils, containers and packaging (UCP) in accordance with the implementation of the amended Food Sanitation Act came into force *on 1 June 2020. Since then*, Japan's Ministry of Health, Labour and Welfare (MHLW) published several draft versions of revised and restructured lists and continues to amend the lists and provisions during the granted five-year grace period. Therefore, the status of our products varies with the activities of MHLW and cannot be confirmed finally. Please, do not hesitate to ask for a temporary status in urgent cases.

FDA Regulations

Based on a no-migration principle, TEGO® Foamex 3062 can be used in compliance with FDA's rules for food contact if used as an additive up to a maximum use level of 800 mg/sqm food contact area.

The field of application includes all types of plastics, paper, coatings or adhesives. The use should be consist with 21 CFR, including e.g. 21 CFR 175.105, 21 CFR 175.300, 21 CFR 176.170 and 21 CFR 176.180.

Mercosur: MERCOSUR/GMC/RES No 39/19 and MERCOSUR/GMC/RES No 02/12

TEGO® Foamex 3062 in compliance with Mercosur/GMC/Res. No. 39/19 up to a use level of 0.16 % in the final plastic a/o up to 400 mg/sqm food contact area.

TEGO® Foamex 3062 is not in compliance with MERCOSUR/GMC/RES No 02/12 and GMC/Res. No. 40/15.

EUPIA EXCLUSION LIST FOR PRINTING INKS AND RELATED PRODUCTS (latest published version)

Selection Criteria A and B: Please refer to Safety Data Sheet (Chapter 3).

We would like to confirm that we do not expect the presence of substances listed in the EUPIA "Exclusion List for Printing Inks and Related Products", in Selection Criteria C and Substances Lists D to G (listed substances in the table) in TEGO® Foamex 3062.

| Substances |
|--|
| Pigments and substances based on: <ul style="list-style-type: none">• Antimony• Arsenic• Cadmium• Chromium (VI) |

| |
|--|
| <ul style="list-style-type: none"> • Lead • Mercury • Selenium |
| Pigment colourants: <ul style="list-style-type: none"> • Auramin (Basic Yellow 2 – CI 41000) • Chrysoidin (Basic Orange 2 – CI 11270) • Fuchsin (Basic Violet 14 – CI 42510) • Indulin (Solvent Blue 7 – CI 50400) • Kresylen (Basic Brown 4 – CI 21010) |
| Solvents: <ul style="list-style-type: none"> • 2-Methoxyethanol 109-86-4 • 2-Methoxyethyl acetate 110-49-6 • 2-Ethoxyethyl acetate 111-15-9 • 2-Ethoxyethanol 110-80-5 • Monochlorobenzene • Dichlorobenzene • Volatile chlorinated hydrocarbons, such as trichloroethylene, perchlorethylene and methylenechloride • Volatile fluorochlorinated hydrocarbons • 2-Nitropropane • Methanol |
| Plasticisers: <ul style="list-style-type: none"> • Chlorinated naphthalenes • Chlorinated paraffins • Monocresyl phosphate • Tricresyl phosphate • Monocresyl diphenyl phosphate |
| Various Compounds: <ul style="list-style-type: none"> • Diaminostilbene and derivatives • 2,4-Dimethyl-6-tertiary-butylphenol • 4,4 Tetramethyldiaminobenzophenone (Michler's Ketone) • Hexachlorocyclohexane |

Nestlé Guidance Note on Packaging Inks (latest published version)

We do not expect the presence of following substances within TEGO® Foamex 3062:

General exclusions

| |
|--|
| Titanium Acetyl Acetate (TAA) |
| Ortho-Phthalate plasticizers |
| Bisphenol A (BPA) and materials manufactured from or incorporating BPA in reacted form as part of the chemical structure |
| Nitrocellulose resins |
| Vegetable oils/fatty acid esters with strong odours |
| Heavy/Toxic metal in amounts exceeding the respective limits mentioned in the Swiss ordinance |

| |
|---|
| Solvents and other chemicals which give off-odour or taint to the food |
| Perfluoro compounds must not be used, except for PTFE waxes |
| **Mineral oils containing aromatic substances (MOAH) must not be used |
| Mineral oils containing saturated hydrocarbons (MOSH) must be minimised, and their residual value must be below 0.1% of the dry film |
| Photoinitiators mentioned in the "EuPIA Suitability List of Photoinitiators and Photosynergists for Food Contact Materials – October 2020 |

Odour: Specific to the product

Table 1: Exclusion list for pigments

| Pigments | Color index | CAS number | Swiss Ordinance |
|-------------------|-------------|-------------------------|-----------------|
| Pigment Red 81 | 45160:1 | 12224-98-5 | B |
| Pigment Red 81:1 | 45160:3 | 80083-40-5 | B |
| Pigment Red 81:5 | 45160:4 | 63022-06-0 | B |
| Pigment Red 169 | 45160:2 | 12237-63-7 | B |
| Pigment Green 1 | 42040:1 | 1325-75-3 | B |
| Pigment Blue 1 | 42595:2 | 1325-87-7 | B |
| Pigment Violet 1 | 45170:2 | 1326-03-0 | B |
| Pigment Violet 2 | 45175:1 | 1326-04-1 | B |
| Pigment Violet 3 | 42535:2 | 1325-82-2 67989-22-4 | B |
| Pigment Violet 27 | 42535:3 | 12237-62-6 | B |
| Pigment Violet 39 | 42555:2 | 64070-98-0 | B |

Table 2: Exclusion list for Photo-Initiators

| PI Name | CAS Number | Swiss Ordinance |
|--|------------|-----------------|
| 2-Hydroxy 2-methyl propiophenone | 7473-98-5 | B |
| 2-(Dimethylamino)ethyl benzoate | 2208-05-1 | B |
| - Benzophenone | 119-61-9 | A |
| - 2-Methyl benzophenone | 131-58-8 | A |
| - 4-Methyl benzophenone | 134-84-9 | A |
| - 2,4,6-trimethylbenzo- phenone | 954-16-5 | B |
| 1-Hydroxycyclohexyl phenylketone | 947-19-3 | B |
| 2,2-Dimethoxy 2-phenyl acetophenone | 24650-42-8 | B |
| 2-Methyl 4'-(methylthio) 2-morpholinopropiophenone | 71868-10-5 | B |
| - 4-Isopropyl 9H-thioxanthen-9-one | 83846-86-0 | A |
| - 2-Isopropyl 9H-thioxanthen-9-one | 5495-84-1 | A |
| 2,4-Diethyl 9H-thioxanthen-9-one | 82799-44-8 | B |
| Diphenyl (2,4,6-trimethyl benzoyl) phosphine oxide | 75980-60-8 | A |

Table 3: Minimize list for Photo-Initiators

| PI Name | CAS Number | Swiss Ordinance |
|---|-------------|-----------------|
| Irgacure | 119313-12-1 | A |
| Other monomeric Benzophenones (not forbidden above) benzoate | various | A / B |

Table 4: Exclusion list for acrylates

| Chemical name | CAS number | Swiss Ordinance |
|--------------------------------------|------------|-----------------|
| Butanediol Diacrylate (BDDA) | 1070-70-8 | B |
| Diethylene glycol diacrylate (DEGDA) | 4074-88-8 | B |
| Isodecyl acrylate (IDA) | 1330-61-6 | B |
| Octyl acrylate (ODA) | 2499-59-4 | A |
| Phenoxy ethyl acrylate | 48145-04-6 | B |

Table 5: Minimize list for acrylates

| Chemical name | CAS number | Swiss Ordinance |
|---|------------|-----------------|
| Trimethylol propane triacrylate (TMPTA) | 15625-89-5 | B |
| Dipropylene glycol diacrylate (DPGDA) | 57472-68-1 | B |
| 1, 6-Hexanediol diacrylate (HDDA) | 13048-33-4 | B |
| 2-Ethyl hexyl acrylate (2EHA) | 103-11-7 | A |
| Mixtures of pentaerythritol tri- and tetra- acrylates (PETA) | 3524-68-3 | B |
| Tetraethylene glycol diacrylate (TEGDA) | 17831-71-9 | B |

Table 6: Exclusion list for solvents

| Chemical name | CAS number | Swiss Ordinance |
|------------------------|------------|-----------------|
| Monochlorobenzene | 108-90-7 | A |
| Toluene | 108-88-3 | A |
| 1-methyl-2-pyrrolidone | 872-50-4 | A |

Table 7: Minimize list for solvents

| Chemical name | CAS number | Swiss Ordinance |
|-----------------------------|------------|-----------------|
| Methanol | 67-56-1 | A |
| Cyclohexane | 110-82-7 | A |
| Methylethylketone (MEK) | 78-93-3 | A |
| Methylisobutylketone (MiBK) | 108-10-1 | A |
| Hexanol | 111-27-3 | A |
| 2-Ethyl-1-hexanol | 104-76-7 | A |
| n-Octanol | 111-87-5 | A |
| Butylglycol | 111-76-2 | A |

| | | |
|---------------------------|------------|---|
| Butyldiglycol | 112-34-5 | A |
| Ethyldiglycol | 111-90-0 | A |
| Hexyleneglycol | 107-41-5 | A |
| Butoxypropanol | 5131-66-8 | A |
| Butoxypropoxypropanol | 29911-28-2 | A |
| Ethandiol | 107-21-1 | A |
| Diethyleneglycol | 111-46-6 | A |
| Triethyleneglycol | 112-27-6 | A |
| Butylglycolacetate | 112-07-2 | A |
| 1-Methoxy-2-propylacetate | 108-65-6 | A |
| Ethylbenzene | 100-41-4 | A |
| 1-Pentanol | 71-41-0 | A |

Finished food contact materials or articles containing this product as a component, need to comply inter alia with Overall Migration Limit (OML) requirements – as specified in the regulations. Verification of compliance with migration limits (OML and SML) should be carried out in accordance with the rules laid down there. We would like to point out that it is in the sole responsibility of the manufacturer of the final material or article to assure the compliance with the OML/SML requirements under actual and foreseeable conditions of use, and to check it on a regular basis. The manufacturer of food contact materials or articles, containing this product as a component, must in particular ascertain that these finished materials or articles meet the general regulatory requirement that they do not endanger human health, or bring about an unacceptable change in the composition of the food or deterioration in the organoleptic characteristics thereof.

The information given above is based on and represents our current compositional knowledge (based on the knowledge of the production process, supplier information for raw materials and analytical data where applicable).

In case of provided values these are considered to be typical concentrations and are not part of product specification.

All provided information is based on our present knowledge and experience and is true and complete to the best of our knowledge and belief. However, no warranty, whether expressed or implied, or guarantee of product properties in the legal sense is intended or implied.

In case of any questions concerning the provided information or if you need additional advice you are welcome to contact us:

Evonik Operations GmbH
Goldschmidtstraße 100
45127 Essen
Germany
www.evonik.de
www.coating-additives.com

Please contact for region Europe, Middle East, Russia and Afrika
regulatory-coating-additives-europe@evonik.com

Please contact for region Americas
regulatory-coating-additives-americas@evonik.com

Please contact for region Asia, Australia and New Zealand
regulatory-coating-additives-asia@evonik.com