

LEATHER COATINGS

# Focus products for Leather Coatings

SILIKOPUR® 8081, TEGO® Glide 494, ACEMATT® TS 100



**Leather coatings include finishes for artificial and genuine leather.**

They are used in automotive, garment, upholstery, clothes, and other application areas.

**CHALLENGES FOR LEATHER COATINGS**

**EVONIK COATING ADDITIVES**

Good flexibility of coating system	SILIKOPUR® 8081
Soft-touch/haptic properties	SILIKOPUR® 8081
Washing and rub resistance	SILIKOPUR® 8081/TEGO® Glide 494
Anti squeaking properties	TEGO® Glide 494
Deep matte gloss level	ACEMATT® TS 100
High transparency for black velvet effect	ACEMATT® TS 100

**EVONIK COATING ADDITIVES**

**PRODUCT DESCRIPTION**

**TYPICAL APPLICATIONS**

<b>SILIKOPUR® 8081</b>	33% silicone modified polyurethane emulsion	for wb systems
<b>TEGO® Glide 494</b>	65% polydimethylsiloxane emulsion	for wb systems
<b>ACEMATT® TS 100</b>	100% powder, thermal, untreated silica	for wb + sb systems

**i** Click here for more information!



## TEGO® Glide 494 – Best Slip

Leather wb, top-coat based on PUR dispersion

### Sample preparation:


Additive dosage 0.2% on total formulation

Spray application on base coat applied on leather 2.5 g/ft<sup>2</sup>

Drying 1 min. flash-off, 1 min. 80°C

### Remarks:

The lower the force value, the better the slip properties of the leather coating



## ACEMATT® TS 100 – Highest Jetness

Leather sb, top-coat based on PUR

### Matting:

Gloss value <1 GU (60°)  
in combination with highest jetness

### Remarks:

High matting efficiency

Spray and bar coater application

For sb and wb formulations



This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NONINFRINGEMENT, MERCHANTABILITY AND / OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and / or recommendations at any time, without prior or subsequent notice. ACEMATT®, ADDID®, AEROSIL®, AIRASE®, ALBIDUR®, CARBOWET®, DYNOL™, NANOCRYL®, SILIKOFTAL®, SILIKOPHEN®, SILIKOPON®, SILIKOPUR®, SILIKOTOP®, SIPERNAT®, SURFYNOL®, TEGO®, TEGOMER® and ZETASPERSE® are registered trademarks of Evonik Industries or its subsidiaries. Evonik supports you in selecting the best suited product and optimizing current formulations through our Application Technology Group.

**EVONIK OPERATIONS GMBH**  
Goldschmidtstraße 100  
45127 Essen  
Germany  
Phone +49 201 173-2222  
Fax +49 201 173-1939  
coating-additives@evonik.com  
www.coating-additives.com