

WETTING AND DISPERSING ADDITIVE

ZETASPERSE® 3800

Widely applicable dispersing agent for waterborne formulations



ZETASPERSE® 3800 is a polymeric, slightly anionic wetting and dispersing additive suitable for all pigment and filler chemistries and all waterborne coating systems.


ZETASPERSE® 3800 provides outstanding color strength and stabilization. It is solvent-free and free of labeling.

Key Benefits of ZETASPERSE® 3800 (40% active matter solution)


- One dispersing agent for all kinds of pigments
- Outstanding color strength and stability
- Provides excellent viscosity reduction and dispersion stability
- Low foam contribution during grinding
- Suitable for direct grind and pigment concentrates
- Solvent-free and free of labeling




30% ZETASPERSE® 3800 (left) and 30% Competitor (right) in water, calculated on PB 15:3



30% ZETASPERSE® 3800 (left) and 30% Competitor (right) in water, calculated on PR 112



56% ZETASPERSE® 3800 (left) and 56% Competitor (right) in water, calculated on PBk7



[!\[\]\(19d44b37fb4fa155bf9d60c77a3d3cb2_img.jpg\) Click here for more information!](#)

 **EVONIK**
Leading Beyond Chemistry

ZETASPERSE® 3800 provides viscosity reduction and minimal foam contribution which enables a smooth production process. The product is a clear liquid and suitable for both binder-free/resin-free and binder-containing systems.



ZETASPERSE® 3800 (left) and Competitor (right). 100 ml water + 0,5% dispersing additive, shaken 20 times by hand. Picture after 15 seconds.


Our dispersing agent ZETASPERSE® 3800 can show the same results with reduced additive dosage compared to competitors. Less dispersing agent in a formulation leads to less negative impact on coating properties. The reduced

amount of additive needed as well as the minimal foaming tendency will replicate in cost savings and a higher performance of your coating.

RHEOLOGICAL BEHAVIOR – PW6

2% Competitor A, B and C showed hard sedimentation.

Test System:
WB Binder Free PC



This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NONINFRINGEMENT, MERCHANTABILITY AND / OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice. ACEMATT®, ADDID®, AEROSIL®, AIRASE®, ALBIDUR®, CARBOWET®, DYNOL™, NANOCRYL®, SILIKOFTAL®, SILIKOPHEN®, SILIKOPON®, SILIKOPUR®, SILIKOTOP®, SIPERNAT®, SURFYNOL®, TEGO®, TEGOMER® and ZETASPERSE® are registered trademarks of Evonik Industries or its subsidiaries. Evonik supports you in selecting the best suited product and optimizing current formulations through our Application Technology Group.

EVONIK OPERATIONS GMBH
 Goldschmidtstraße 100
 45127 Essen
 Germany
 Phone +49 201 173-2222
 Fax +49 201 173-1939
 coating-additives@evonik.com
 www.coating-additives.com