CHROMATOCEL® S-060

SILICA GEL (SILICON DIOXIDE) (CAS# 112926-00-8) CHROMATOGRAPHIC GRADE

Application	A powdered silica gel (silicon dioxide) for use in chromatography, batch extractions and decolorizations. Chromatocel can also be used as a general adsorbent for impurities. Optimized particle size, surface area, pH, and purity make it a particularly useful material for the separation of small molecules,	
	Packaging	1,103 lbs (500 kg) bags
Availability	Shipping Point	Little Rock, Arkansas
	Size – nominal* (other sizes available on request)	230 – 400 mesh
	Median Pore Diameter	50 – 80 Å
	Pore Volume	0.6 – 0.8 mL/g
	pH by 10% Slurry	6.5 – 7.5
	Bulk Density	500 – 600 g/L
	BET Surface Area*	$450 - 600 \mathrm{m^2/g}$
Physical	Loss on Drying (Ambient – 150°C)	≤ 2.0 wt%

^{*}Different specifications can be made according to customer requirements.

Disclaimer

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.

Evonik Operations GmbH

Business Line Catalysts Rodenbacher Chaussee 4 63457 Hanau Germany PHONE +49 6181 59-13399 catalysts@evonik.com www.evonik.com/catalysts

