

April 5, 2023

# ADDID® 900

## Food Contact Information

### **EU: Regulation 10/2011**

ADDID® 900 is not in compliance with above mentioned regulation.

### **Germany: BfR Recommendations**

ADDID® 900 complies with the Recommendation of the BfR (former BgVV) LII. Fillers for commodities made of plastic when used as a coating for fillers at a maximum use level of 0.5%.

### **Switzerland: SR 817.023.21 (latest published version)**

ADDID® 900 is in compliance with the "Ordinance of the FDHA on Materials and Articles (SR 817.023.21)". All components (additives and / or monomers) are listed in Annex 10 in the lists for not evaluated (B) substances. 10ppb Migrationlimit applies.

### **German Ink Ordinance (GIO) / Consumer Goods Regulation (BedGgstV)**

ADDID® 900 complies with the compositional requirements for printing inks not intended for direct contact with food as defined in the German BedGgstV. Migration of single components must not exceed 10 µg/kg food.

### **USA: FDA Regulations**

This product can be used in compliance with the following sections and may be subject to any applicable limitations:

FDA 21 CFR 175.105, FDA 21 CFR 175.300.

ADDID® 900 is suitable for use under the following sections of FDA 21 CFR:

§175.105 (ADHESIVES) (FR Feb. 27, 1968).

§175.300 (RESINOUS AND POLYMERIC COATINGS) for use in coatings at a level not to exceed 1.3% by weight of the resin when such coatings are intended for repeated use in contact with nonacid aqueous products, acid aqueous products or aqueous, acid or nonacid products containing free fat or oil that are hot filled or pasteurized above or below 150°F or room temperature filled and stored or refrigerated stored with no

thermal treatment in the container or when such coatings are intended for repeated use in contact with low-moisture fats and oils; nonalcoholic beverages, beverages containing up to 8% alcohol or beverages containing more than 8% alcohol; bakery products or dry solids with the surface containing no free fat or oil that are room temperature filled and stored or refrigerated stored with no thermal treatment in the container. Use is limited to coatings for tanks with a capacity greater than 530,000 gallons (FR Sept. 20, 1995). Furthermore the extraction limit of 18 mg/inch<sup>2</sup> given in §175.300 has to be met by the final coating in which it is to contact food.

§ 177.1390 LAMINATE STRUCTURES FOR USE AT 250°F AND ABOVE (max. 3% in polymer)

§ 177.1395 LAMINATE STRUCTURES FOR USE BETWEEN 120°F AND 250°F (max. 3% in polymer)

In the following sections the product is not listed itself but suitability determination is applicable by cross referencing provided that the limitations under 175.300 are followed.

§176.170 COMPONENTS OF PAPER AND PAPERBOARD IN CONTACT WITH AQUEOUS AND FATTY FOODS

§176.180 COMPONENTS OF PAPER AND PAPERBOARD IN CONTACT WITH DRY FOOD

#### **China: GB 9685 – 2016**

ADDID ® 900 has not been evaluated regarding GB 9685.

#### **Mercosur:**

ADDID ® 900 has not been evaluated regarding Mercosur.

#### **EUPIA EXCLUSION LIST FOR PRINTING INKS AND RELATED PRODUCTS (latest published version)**

Selection Criteria A and B: Please refer to Safety Data Sheet (Chapter 3). We would like to confirm that we do not expect the presence of substances listed in the EUPIA "Exclusion List for Printing Inks and Related Products", in Selection Criteria C and Substances Lists D to G (listed substances in the table) in ADDID ® 900.

| <b>Substances</b>   |
|---|
| Pigments and substances based on: <ul style="list-style-type: none"><li>• Antimony</li><li>• Arsenic</li><li>• Cadmium</li><li>• Chromium (VI)</li><li>• Lead</li></ul> |

|  |
|--|
| <ul style="list-style-type: none"> <li>• Mercury</li> <li>• Selenium</li> </ul>  |
| <b>Pigment colourants:</b> <ul style="list-style-type: none"> <li>• Auramin (Basic Yellow 2 – CI 41000)</li> <li>• Chrysoidin (Basic Orange 2 – CI 11270)</li> <li>• Fuchsin (Basic Violet 14 – CI 42510)</li> <li>• Indulin (Solvent Blue 7 – CI 50400)</li> <li>• Kresylen (Basic Brown 4 – CI 21010)</li> </ul>   |
| <b>Solvents:</b> <ul style="list-style-type: none"> <li>• 2-Methoxyethanol 109-86-4</li> <li>• 2-Methoxyethyl acetate 110-49-6</li> <li>• 2-Ethoxyethyl acetate 111-15-9</li> <li>• 2-Ethoxyethanol 110-80-5</li> <li>• Monochlorobenzene</li> <li>• Dichlorobenzene</li> <li>• Volatile chlorinated hydrocarbons, such as trichloroethylene, perchlorethylene and methylenechloride</li> <li>• Volatile fluorochlorinated hydrocarbons</li> <li>• 2-Nitropropane</li> </ul> |
| <b>Plasticisers:</b> <ul style="list-style-type: none"> <li>• Chlorinated naphthalenes</li> <li>• Chlorinated paraffins</li> <li>• Monocresyl phosphate</li> <li>• Tricresyl phosphate</li> <li>• Monocresyl diphenyl phosphate</li> </ul>   |
| <b>Various Compounds:</b> <ul style="list-style-type: none"> <li>• Diaminostilbene and derivatives</li> <li>• 2,4-Dimethyl-6-tertiary-butylphenol</li> <li>• 4,4 Tetramethyldiaminobenzophenone (Michler's Ketone)</li> <li>• Hexachlorocyclohexane</li> </ul>   |

Please note that ADDID® 900 contains <0.2% Methanol (CAS#67-56-1) as impurity.

### Nestlé Guidance Note on Packaging Inks (latest published version)

We do not expect the presence of following substances within ADDID® 900:

#### General exclusions

|  |
|--|
| Titanium Acetyl Acetonate (TAA)  |
| <i>Ortho</i> -Phthalate plasticizers   |
| Bisphenol A (BPA) and materials manufactured from or incorporating BPA in reacted form as part of the chemical structure |
| Nitrocellulose resins  |
| Vegetable oils/fatty acid esters with strong odours  |
| Heavy/Toxic metal in amounts exceeding the respective limits mentioned in the Swiss Ordinance                            |

|   |
|---|
| Solvents and other chemicals which give off-odour or taint to the food  |
| Perfluoro compounds must not be used, except for PTFE waxes   |
| Mineral oils containing aromatic substances (MOAH) must not be used   |
| Mineral oils containing saturated hydrocarbons (MOSH) must be minimised, and their residual value must be below 0.1% of the dry film      |
| Photoinitiators mentioned in the "EuPIA Suitability List of Photoinitiators and Photosynergists for Food Contact Materials – October 2020 |

Odour: Specific to the product

**Table 1: Exclusion list for pigments**

| Pigments          | Color index | CAS number              | Swiss Ordinance |
|-------------------|-------------|-------------------------|-----------------|
| Pigment Red 81    | 45160:1     | 12224-98-5              | B               |
| Pigment Red 81:1  | 45160:3     | 80083-40-5              | B               |
| Pigment Red 81:5  | 45160:4     | 63022-06-0              | B               |
| Pigment Red 169   | 45160:2     | 12237-63-7              | B               |
| Pigment Green 1   | 42040:1     | 1325-75-3               | B               |
| Pigment Blue 1    | 42595:2     | 1325-87-7               | B               |
| Pigment Violet 1  | 45170:2     | 1326-03-0               | B               |
| Pigment Violet 2  | 45175:1     | 1326-04-1               | B               |
| Pigment Violet 3  | 42535:2     | 1325-82-2<br>67989-22-4 | B               |
| Pigment Violet 27 | 42535:3     | 12237-62-6              | B               |
| Pigment Violet 39 | 42555:2     | 64070-98-0              | B               |

**Table 2: Exclusion list for Photo-Initiators**

| PI Name  | CAS Number | Swiss Ordinance |
|--|------------|-----------------|
| 2-Hydroxy 2-methyl propiophenone                   | 7473-98-5  | B               |
| 2-(Dimethylamino)ethyl benzoate                    | 2208-05-1  | B               |
| - Benzophenone                                     | 119-61-9   | A               |
| - 2-Methyl benzophenone                            | 131-58-8   | A               |
| - 4-Methyl benzophenone                            | 134-84-9   | A               |
| - 2,4,6-trimethylbenzo- phenone                    | 954-16-5   | B               |
| 1-Hydroxycyclohexyl phenylketone                   | 947-19-3   | B               |
| 2,2-Dimethoxy 2-phenyl acetophenone                | 24650-42-8 | B               |
| 2-Methyl 4'-(methylthio) 2-morpholinopropiophenone | 71868-10-5 | B               |
| - 4-Isopropyl 9H-thioxanthen-9-one                 | 83846-86-0 | A               |
| - 2-Isopropyl 9H-thioxanthen-9-one                 | 5495-84-1  | A               |
| 2,4-Diethyl 9H-thioxanthen-9-one                   | 82799-44-8 | B               |
| Diphenyl (2,4,6-trimethyl benzoyl) phosphine oxide | 75980-60-8 | A               |

**Table 3: Minimize list for Photo-Initiators**

| PI Name   | CAS Number  | Swiss Ordinance |
|---|-------------|-----------------|
| Irgacure  | 119313-12-1 | A               |
| Other monomeric Benzophenones<br>(not forbidden above) benzoate | various     | A / B           |

**Table 4: Exclusion list for acrylates**

| Chemical name                        | CAS number | Swiss Ordinance |
|--------------------------------------|------------|-----------------|
| Butanediol Diacrylate (BDDA)         | 1070-70-8  | B               |
| Diethylene glycol diacrylate (DEGDA) | 4074-88-8  | B               |
| Isodecyl acrylate (IDA)              | 1330-61-6  | B               |
| Octyl acrylate (ODA)                 | 2499-59-4  | A               |
| Phenoxy ethyl acrylate               | 48145-04-6 | B               |

**Table 5: Minimize list for acrylates**

| Chemical name   | CAS number | Swiss Ordinance |
|---|------------|-----------------|
| Trimethylol propane triacrylate (TMPTA)                         | 15625-89-5 | B               |
| Dipropylene glycol diacrylate (DPGDA)                           | 57472-68-1 | B               |
| 1, 6-Hexanediol diacrylate (HDDA)                               | 13048-33-4 | B               |
| 2-Ethyl hexyl acrylate (2EHA)                                   | 103-11-7   | A               |
| Mixtures of pentaerythritol tri- and tetra-<br>acrylates (PETA) | 3524-68-3  | B               |
| Tetraethylene glycol diacrylate (TEGDA)                         | 17831-71-9 | B               |

**Table 6: Exclusion list for solvents**

| Chemical name          | CAS number | Swiss Ordinance |
|------------------------|------------|-----------------|
| Monochlorobenzene      | 108-90-7   | A               |
| Toluene                | 108-88-3   | A               |
| 1-methyl-2-pyrrolidone | 872-50-4   | A               |

**Table 7: Minimize list for solvents**

| Chemical name               | CAS number | Swiss Ordinance |
|-----------------------------|------------|-----------------|
| Cyclohexane                 | 110-82-7   | A               |
| Methylethylketone (MEK)     | 78-93-3    | A               |
| Methylisobutylketone (MiBK) | 108-10-1   | A               |
| Hexanol                     | 111-27-3   | A               |
| 2-Ethyl-1-hexanol           | 104-76-7   | A               |
| n-Octanol                   | 111-87-5   | A               |
| Butylglycol                 | 111-76-2   | A               |

|                           |            |   |
|---------------------------|------------|---|
| Butyldiglycol             | 112-34-5   | A |
| Ethyldiglycol             | 111-90-0   | A |
| Hexyleneglycol            | 107-41-5   | A |
| Butoxypropanol            | 5131-66-8  | A |
| Butoxypropoxypropanol     | 29911-28-2 | A |
| Ethanediol                | 107-21-1   | A |
| Diethyleneglycol          | 111-46-6   | A |
| Triethyleneglycol         | 112-27-6   | A |
| Butylglycolacetate        | 112-07-2   | A |
| 1-Methoxy-2-propylacetate | 108-65-6   | A |
| Ethylbenzene              | 100-41-4   | A |
| 1-Pentanol                | 71-41-0    | A |

Please note that ADDID® 900 contains <0.2% Methanol (CAS#67-56-1) as impurity.

---

Finished food contact materials or articles containing this product as a component, need to comply inter alia with Overall Migration Limit (OML) requirements – as specified in the regulations. Verification of compliance with migration limits (OML and SML) should be carried out in accordance with the rules laid down there. We would like to point out that it is in the sole responsibility of the manufacturer of the final material or article to assure the compliance with the OML/SML requirements under actual and foreseeable conditions of use, and to check it on a regular basis. The manufacturer of food contact materials or articles, containing this product as a component, must in particular ascertain that these finished materials or articles meet the general regulatory requirement that they do not endanger human health, or bring about an unacceptable change in the composition of the food or deterioration in the organoleptic characteristics thereof.

The information given above is based on and represents our current compositional knowledge (based on the knowledge of the production process, supplier information for raw materials and analytical data where applicable).

In case of provided values these are considered to be typical concentrations and are not part of product specification.

All provided information is based on our present knowledge and experience and is true and complete to the best of our knowledge and belief. However, no warranty, whether expressed or implied, or guarantee of product properties in the legal sense is intended or implied.

**In case of any questions concerning the provided information or if you need additional advice you are welcome to contact us:**

**Evonik Operations GmbH**  
Goldschmidtstraße 100  
45127 Essen  
Germany  
[www.evonik.de](http://www.evonik.de)  
[www.coating-additives.com](http://www.coating-additives.com)

Please contact for region Europe, Middle East, Russia and Afrika  
[regulatory-coating-additives-europe@evonik.com](mailto:regulatory-coating-additives-europe@evonik.com)

Please contact for region Americas  
[regulatory-coating-additives-americas@evonik.com](mailto:regulatory-coating-additives-americas@evonik.com)

Please contact for region Asia, Australia and New Zealand  
[regulatory-coating-additives-asia@evonik.com](mailto:regulatory-coating-additives-asia@evonik.com)