

Dynasytan® SIVO 202

Proprietary Multifunctional Aminosilane System

Technical data

Properties and test methods	Value	Unit	Method
Density (20 °C)	approx. 1.03	g/cm ³	DIN 51757
Flash point	81	°C	EN 22719
Viscosity (20 °C)	approx. 4	mPa·s	DIN 53015
Physical form	light straw-coloured liquid	-	-

Registrations

Dynasytan® SIVO 202

EINECS/ELINCS (EU):	Yes
AICS (Australia):	No
DSL/NDSL (Canada):	No
PICCS (Philippines):	Yes
TSCA (USA):	Yes
IECSC (P.R. China):	Yes
ENCS (Japan):	No
ECL (South Korea):	Yes

Dynasytan® SIVO 202 is a new multifunctional aminosilane adhesion promoter that can be used for a wide variety of applications.

Dynasytan® SIVO 202 is mainly dedicated for use in adhesives & sealants to improve the adhesion of hybrid products (e.g. silylated polyurethanes, MS Polymers), RTV-silicones, two-part polyurethanes and two-part epoxies to inorganic surfaces and some difficult plastic surfaces. In addition, Dynasytan® SIVO 202 can lead to fast sealant curing and high-crosslinked products and it imparts both additional flexibility and hydrophobicity.

Safety and handling

Before considering the use of Dynasytan® products please read its Safety Data Sheet (SDS) thoroughly for safety and toxicological data as well as for information on proper transportation, storage and use. The Safety Data Sheet is available after registration on our website www.dynasytan.com or upon request from your local representative, customer service or from Evonik Operations GmbH, Product Safety Department, E-MAIL sds-hu@evonik.com.

Packaging, storage and shelf life

Dynasytan® SIVO 202 is supplied in 25 kg pails, 200 kg drums and 1000 kg IBC.

In originally sealed containers Dynasytan® SIVO 202 has a shelf life of min. 12 months from delivery.

Properties and applications

Dynasylan® SIVO 202 is a versatile product that provides improved product performance and quality. Dynasylan® SIVO 202 is soluble in alcohols, aliphatic and aromatic hydrocarbons, but it can undergo reactions with ketones or ester solvents. Dynasylan® SIVO 202 may also be used as an additive or as a primer in coatings and as a primer in adhesives and sealants applications. When used as an additive, Dynasylan® SIVO 202 can eliminate the need for special primers in numerous bonding applications. Specific systems that demonstrate improved adhesion when Dynasylan® SIVO 202 is used include RTV silicones and hybrid silane-crosslinkable systems. Loading levels of 0,5 to 2,0 wt. % of Dynasylan® SIVO 202 as an additive - calculated on the overall formulation - are typically recommended. Dynasylan® SIVO 202 can also be utilized to treat mineral fillers. The special functionalities may result in unique functional filler properties when Dynasylan® SIVO 202 treated minerals are incorporated into polymers.

Key Benefits

Dynasylan® SIVO 202 exhibits excellent wetting on substrates and it forms weather- and moisture-resistant bonds to substrates which are typically difficult to adhere. The main benefits of Dynasylan® SIVO 202 in silylated polyurethane or MS polymer adhesives and sealants are:

- Improved adhesion to plastics such as PC and PVC
- Improved mechanical properties

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.

Europe/Middle-East/Africa**Evonik Operations GmbH**

Silanes Business Line
Rodenbacher Chaussee 4
63457 Hanau-Wolfgang
Germany
FAX +49 6181 59 713915
dynasytan@evonik.com
www.dynasytan.com

Asia / Pacific**Evonik (SEA) Pte. Ltd.**

Silanes Business Line
3 Internatioanl Business Park
#07-18, Nordic European
Centre
Singapore 609927
PHONE +65 6809 6906
FAX +65 6809 6699
dynasytan@evonik.com
www.dynasytan.com

Asia / Pacific**Evonik Japan Co. Ltd**

Silanes Business Line
12th Floor Monolith Building
2-3-1, Nishi-Shinjuku-ku
Tokyo 163-0912
Japan
PHONE +81 353 23 7446
FAX +81 353 23 7397
dynasytan@evonik.com
www.dynasytan.com

North America**Evonik Corporation**

Silanes Business Line
299 Jefferson Road
Parsippany, NJ 07054
USA
PHONE (TOLL FREE) +1 800 237 67
45
PHONE +1 973 929 8513
dynasytan@evonik.com
www.dynasytan.com

Asia / Pacific**Evonik Specialty
Chemicals (Shanghai) Co. Ltd.**

Silanes Business Line
55, Chungdong Road
Xinzhuang Industry Park
Shanghai 201108
P.R. China
PHONE +86 21 61191-399
FAX +86 21 61191-648
dynasytan@evonik.com
www.dynasytan.com

Asia / Pacific**Evonik India Pvt. Ltd.**

Silanes Business Line
Krislon House
Saki Vihar Road, Anderi (E)
Mumbai - 400 072
India
PHONE +91 226 7238 809
FAX +91 226 7238 811
dynasytan@evonik.com
www.dynasytan.com

North America**Silbond Corporation**

9901 Sand Creek Highway
Weston, MI 49289
USA
PHONE +1 732 981 5004
FAX +1 732 981 5275
dynasytan@evonik.com
www.dynasytan.com

Asia / Pacific**Evonik Korea Ltd.**

Silanes Business Line
3F (Nongshim Sungmookwan
B/D)
112 Yeouidaebang-Ro
Dongjak-Gu
Seoul, 07057
Korea
PHONE +82 2320 4773
FAX +82 2783 2520
dynasytan@evonik.com
www.dynasytan.com

Region Central and South America**Evonik Brasil Ltda.**

Silanes Business Line
Rua Arquiteto Olavo Redig de Campos,
105
Torre A - 04711-904 São Paulo- SP
Brazil
PHONE +55 11 3146 9627
dynasytan@evonik.com
www.dynasytan.com

Asia / Pacific**Evonik Taiwan Ltd.**

Silanes Business Line
Artist Construction Bldg.
9F, No. 133
Min Sheng East Road, Sec 3
Taipei, 105 Taiwan, R.O.C.
Taiwan 10596
PHONE +886 227 17 1242 #247
FAX +886 227 17 2106
dynasytan@evonik.com
www.dynasytan.com