

Soufflé visage SPF 50

UV-DE-16-107-1-3

Created by BASF. The formulation has been developed in order to give general guidance only. It does not constitute any guarantee or warranty.

Phase	Ingredients	INCI Name	% w/w	Function
A	Cetiol® CC (BASF)	Dicaprylyl Carbonate	3.00	Emollient
	Cetiol® B (BASF)	Dibutyl Adipate	1.50	Emollient
	Preservative		q.s.	Preservative
	Uvinul® MC 80 (BASF)	Ethylhexyl Methoxycinnamate	8.50	UV-B filter
	Uvinul® A Plus (BASF)	Diethylamino Hydroxybenzoyl Hexyl Benzoate	7.50	UV-A filter
	Neo Heliopan OS	Ethylhexyl Salicylate	4.50	UV-B filter
	Tinosorb® S (BASF)	Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine	2.00	Broad spectrum UV filter
	Uvinul® T 150 (BASF)	Ethylhexyl Triazone	2.00	UV-B filter
B	Xiameter PMX-200 Silicone Fluid 2CS	Dimethicone	24.00	Emollient
	DOWSIL 9041 Silicone Elastomer Blend	Dimethicone, Dimethicone Crosspolymer	8.00	Skin feel modifier
	Cetiol® Ultimate (BASF)	Undecane, Tridecane	4.96	Emollient
	AEROSIL® 200	Silica	2.00	Rheology modifier
C	Talc	Talc	13.50	Skin feel modifier
	Z-Cote® (BASF)	Zinc Oxide (nano)	8.50	Broad spectrum UV filter
	AEROSIL® R 974	Silica Dimethyl Silylate	3.00	Rheology modifier
	Timica® Terra White MN4501 (BASF)	Mica, Titanium Dioxide	0.25	Effect pigment

Soufflé visage SPF 50

UV-DE-16-107-1-3

Phase	Ingredients	INCI Name	% w/w	Function
C	Timica® Terra Yellow MN4502 (BASF)	Mica, Iron Oxides, Titanium Dioxide	0.35	Effect pigment
	Timica® Terra Red MN4506 (BASF)	Mica, Iron Oxides, Titanium Dioxide	0.08	Effect pigment
	Timica® Terra Black MN4498 (BASF)	Mica, Iron Oxides, Titanium Dioxide	0.05	Effect pigment
D	Water, demin.	Aqua	3.49	
	Cosmedia® SP (BASF)	Sodium Polyacrylate	0.05	Stabilizer
E	Dow Corning 9701 Cosmetic Powder	Dimethicone/Vinyl Dimethicone Crosspolymer, Silica	2.50	Skin feel modifier
	Vitamin E-Acetate Care	Tocopheryl Acetate	0.27	Active ingredient
		Total	100.00	

Processing

- Heat part A at 80°C while stirring.
- Prepare part B (add AEROSIL® slowly at the end when the elastomer is dissolved in Cetiol® and Xiameter).
- Add part C one by one in part A under high shear force (rotor stator). Add AEROSIL® at the end while stirring with low shear forces. Do not use rotor stator.
- Add B in AC while stirring with rotor stator.
- Combine ingredients of D. Add D and E to ABC while stirring with rotor stator.

Specifications

Appearance: beige paste

Performance

SPF in silico: 50

(BASF Sunscreen Simulator - in silico determination of the sun protection factor)

UVA-PF in vitro: 19.0

(BASF internal method Nr. 55 - determination of the in vitro SPF & UVA Protection Factor (UVA-PF))

NOTE:

All formulations have been subjected to stability tests and have been shown to perform well. However, formulators should always perform their own stability tests when adapting formulations and / or using raw materials from other sources.

Soufflé visage SPF 50

UV-DE-16-107-1-3

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND / OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and / or recommendations at any time, without prior or subsequent notice.

AEROSIL® is a registered trademark of Evonik Industries or its subsidiaries.

EUROPE / MIDDLE-EAST / AFRICA / LATIN AMERICA

Evonik Operations GmbH
Silica business line
Rodenbacher Chaussee 4
63457 Hanau-Wolfgang
Germany

Phone +49 6181 59-8118
Fax +49 6181 59-78118
ask-si@evonik.com
www.silica-specialist.com

ASIA / PACIFIC

Evonik (SEA) Pte. Ltd.
Silica business line
3 International Business Park
#07-18 Nordic European Centre
Singapore 609927

Phone +65 6 809-6851
Fax +65 6 809-6651
ask-si-asia@evonik.com

NORTH AMERICA

Evonik Corporation
Silica business line
299 Jefferson Road
Parsippany, NJ 07054-0677
USA

Phone +1 888 745-4227
Fax +1 732 981-5275
ask-si-nafta@evonik.com

The Silica specialists at Evonik – Inside, to get it right.