Catylen® D

Product Information Catylen[®] D 1200

External donor for Ziegler-Natta catalysts

CAS NUMBER

17980-47-1

PRODUCT DESCRIPTION

Catylen[®] D 1200 is used as a component for manufacture of Ziegler-Natta catalysts.

Typical Properties

Typical Troperties		
Property	Unit	Value
Appearance		Clear, colorless liquid
Boiling Point, min.	°C	186
Chemical Name		lsobutyltriethoxysi- lane
Density	g/cm³	0.87-0.89
Flash Point, min.	°C	63
Molecular Weight	g/mol	220.38
Product Purity, min.	%	98.0

The data represents typical values (no product specification)

TYPICAL APPLICATIONS

External donor for Ziegler-Natta catalysts

Product Composition			
Product Composition	Unit	Value	
Chloride (Cl) Content, max. Hydrolysable	ppm	100	

BENEFITS & ADVANTAGES

- · Controls the isotacticity of polyprpylene-based polymers
- May improve hydrogen response
- Regulates molecular weight distribution
- Can be used in combination with phthalate-free Ziegler-Natta catalysts

PACKAGING

- Catylen®D 1200 is delivered in 180 kg / 441 lb steel drums.
- For large volumes special packaging is available upon request.

STORAGE

- The drums must remain tightly sealed during storage, protected from freezing and not exposed to direct sunlight and stored in a dry place between 5 and 30°C (40 to 83°F) at all times.
- Subject to the appropiate storage conditions, the shelf life of olefin polymerization catalyst components is sealed orginal containers is 24 months from date of shipement.
- The product should be protected against exposure to air and moisture.

SHELF LIFE

Subject to the appropiate storage conditions, the shelf life of olefin polymerization catalyst components is sealed orginal containers is 24 months from date of shipement.



Disclaimer

This information and all further technical advice are based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third-party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.

Evonik Operations GmbH

Catalysts Rodenbacher Chaussee 4 63457 Hanau Germany Phone +49 6181 59-13399 Fax +49 6181 59-2699 catalysts@evonik.com **evonik.click/catalysts**

