

Product Information

CHLOROCEL® 901

Promoted activated alumina adsorbent for the removal of HCl from various vapor and liquid process streams. Specially formulated to provide high chloride loading while inhibiting the formation of "green oil" and organic chlorides.

PRODUCT DESCRIPTION

Promoted activated alumina adsorbent for the removal of HCl from various vapor and liquid process streams. Specially formulated to provide high chloride loading while inhibiting the formation of "green oil" and organic chlorides. Particularly effective in reforming operations.

Typical Properties

Property	Unit	Value
Bulk Density	kg/m ³	769
Crush Strength (5 mesh equivalent)	lb	25
Density	lb/ft ³	48
Particle Size (1.5 mm, 3 mm, 5 mm)		1/16", 1/8", 3/16"

The data represents typical values (no product specification)

TYPICAL APPLICATIONS

Promoted activated alumina adsorbent for the removal of HCl from various vapor and liquid process streams. Specially formulated to provide high chloride loading while inhibiting the formation of "green oil" and organic chlorides. Particularly effective in reforming operations.

Product Composition

Product Composition	Unit	Value
Aluminum Oxide + Promoters	wt%	99.7

The data represents typical values (no product specification)

BENEFITS & ADVANTAGES

- Specially formulated to provide high chloride loading while inhibiting the formation of "green oil" and organic chlorides
- Efficient mass transfer zone that yields a higher breakthrough loading capacity leading to a longer bed life
- Over 20 years of experience with global references in catalytic reforming and dehydrogenation applications

PACKAGING

- 2,000 lbs (907.2 kg) supersacks
- Steel drums available

STORAGE

The material should be stored in its original container and in a dry, covered location protected from the ambient environment.

SHELF LIFE

5 years in original packaging stored in a dry, covered location

Disclaimer

This information and all further technical advice are based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third-party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.

Evonik Operations GmbH

Catalysts
Rodenbacher Chaussee 4
63457 Hanau
Germany
Phone +49 6181 59-13399
Fax +49 6181 59-2699
catalysts@evonik.com
[evonik.click/catalysts](https://www.evonik.click/catalysts)