

Film enhancer

# TEGO® Variplus SK

## DESCRIPTION

TEGO® Variplus SK is a very powerful film enhancer, improving the optical and mechanical properties of solventborne inks and coatings. It improves hardness, scratch resistance, adhesion, and gloss. It also helps pigment stabilization and increases color strength.

## KEY BENEFITS

- excellent gloss improvement
- very good adhesion on plastics and metals
- very good hardness and scratch resistance

## EFFECT

### Hardness



### Gloss



### Viscosity reduction / increase of solids content



### Pigment wetting and stabilization



### Adhesion improvement (e.g. metal, plastics)



## SUITABILITY

### waterborne



### solventborne



### radiation-curing



### pigmented coatings



### clear coatings



● not suitable ● partly suitable ● suitable

## TYPICAL APPLICATIONS

- Printing Inks
- Gravure inks
- Flexographic inks
- Ballpoint pen inks
- Plastic coatings
- Wood coatings

## TECHNICAL DATA

active matter content	100 %
appearance	white-to-slightly-yellow pellets
chemical description	polyol resin
glass transition temperature	Approx. 90 °C
hydroxyl value (as supplied)	approx. 325 mg KOH/g

## SOLUBILITY

### Water



### Ethanol



### TPGDA



### Acetone



### Butylacetate



### Mineral Spirits



● not soluble ● partly soluble ● soluble

## RECOMMENDED ADDITION LEVEL

As supplied on total formula weight: 5 - 20 %

## PROCESSING INSTRUCTIONS

- Dissolve in corresponding solvent before use.
- Addition to the grind or during the let-down is possible.

## HANDLING & STORAGE

When stored in an original unopened packaging, the product has a shelf life of 60 months from the date of manufacture.

This information and all further technical advice are based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.

Evonik Operations GmbH | Goldschmidtstraße 100, 45127 Essen, Germany | Telefon +49 201 173-2222 Telefax +49 201 173-1939 | [www.coating-additives.com](http://www.coating-additives.com)